




4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Outside Back Cover Page 28

Outside Front Cover Page 1





4.75"



4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 2

Page 27







4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 26

Page 3






4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 4

Page 25



4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 24

Page 5





4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 6

Page 23




4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 22

Page 7



4.75"




4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 8

Page 21





4.75"

4.75"



Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 20

Page 9




4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 10

Page 19



4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 18

Page 11



4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 12

Page 17



4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 16

Page 13



4.75"

4.75"

Variance for finishing process (trimming, folding and perforating)
on this product is +/- 0.0625"
Manufacturer is not responsible for graphics beyond finishing variance

Page 14

Page 15